

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: LeuchtenDirekt

Supplier's address: Kundenservice, Olakenweg 36, 59457 Werl, DE

Model identifier: 08471 (996216)

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	E27		
Mains or non-mains:	MLS	Connected light source (CLS):	Nein
Colour-tuneable light source:	Nein	Envelope:	-
High luminance light source:	Nein		
Anti-glare shield:	Nein	Dimmable:	Only with specific dimmers

Product parameters

Parameter	Value	Parameter	Value
-----------	-------	-----------	-------


General product parameters:

Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	6	Energy efficiency class	G
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	400 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power (P_{on}), expressed in W	6,0	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions	Height	Spectral power distribution in the	See image in last page
	Width		
			125

without separate control gear, lighting control parts and non-lighting control parts, if any (millimetre)	Depth	125	range 250 nm to 800 nm, at full-load	
Claim of equivalent power ^(a)		-	If yes, equivalent power (W)	-
			Chromaticity coordinates (x and y)	0,464 0,415
Parameters for LED and OLED light sources:				
R9 colour rendering index value	12	Survival factor		1,00
the lumen maintenance factor	0,96			
Parameters for LED and OLED mains light sources:				
displacement factor (cos ϕ_1)	0,91	Colour consistency in McAdam ellipses		5
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	-(b)	If yes then replacement claim (W)		-
Flicker metric (Pst LM)	0,7	Stroboscopic effect metric (SVM)		0,3

(a)-: not applicable;

(b)-: not applicable;





LED Filament Leuchtmittel in Amber E27 Spezialform 6W 2700K

Leuchtmittel

UVP: 15,90 Euro

Haben Sie eine Frage zum Produkt?

info@click-licht.de

(+49) 2361 40 67 600

Montag - Freitag 09:00 - 16:00 Uhr



Artikelnummer	A-616412
Material	Glas
Farbe	Amber
Anschlussspannung	230 V
Leistungsaufnahme	6 W
Fassung	E27
Sockel	E27
Dimmbar	Nein
Lichttechnologie	LED
Farbtemperatur	2700 Kelvin
Lichtfarbe	Warmweiß
Lichtstrom	400 lm
Lebensdauer	20000 h
Schaltzyklen	15000
Stil	Dekorativ
Form	rund
Leuchtmittel	Ja
Produktmaße	(H) 290 mm (Ø) 125 mm
Produktgewicht	0.15 kg

