

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: LeuchtenDirekt

Supplier's address: -

Model identifier: E0001676 (997437)

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	-		
Mains or non-mains:	MLS	Connected light source (CLS):	Nein
Colour-tuneable light source:	Ja	Envelope:	-
High luminance light source:	Nein		
Anti-glare shield:	Nein	Dimmable:	Yes



Product parameters

Parameter	Value	Parameter	Value
General product parameters:			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	2	Energy efficiency class	E
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	180 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power (P_{on}), expressed in W	1,5	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,39
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without	Height	Spectral power distribution in the	See image in last page
	Width		
	Depth		

separate control gear, lighting control parts and non-lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load	
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,439 0,400
Parameters for LED and OLED light sources:			
R9 colour rendering index value	7	Survival factor	1,00
the lumen maintenance factor	0,96		
Parameters for LED and OLED mains light sources:			
displacement factor (cos ϕ_1)	0,87	Colour consistency in McAdam ellipses	5
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	-(b)	If yes then replacement claim (W)	-
Flicker metric (Pst LM)	0,8	Stroboscopic effect metric (SVM)	0,3

(a): not applicable;

(b): not applicable;



LED Akku Pendelleuchte David in Natur-hell 1,50W 180lm IP44 270x400mm


Campinglampen

UVP: 140,90 Euro

Haben Sie eine Frage zum Produkt?
info@click-licht.de
(+49) 2361 40 67 600
Montag - Freitag 09:00 - 16:00 Uhr



Artikelnummer	A-415509
Material	Holz
Farbe	Natur-hell
Anschlussspannung	5 V
Leistungsaufnahme	1.5 W
Schutzklasse	III
Schutzart	IP44
Montageart	Decke
Dimmbar	Ja
Dimmart	Fernbedienung
Lichttechnologie	LED
Bauform	LED-Platine
Farbtemperatur	RGBW
Lichtfarbe	Goldweiß
Lichtstrom	180 lm
Farbwiedergabeindex	> 80
Lebensdauer	25000 h
Schaltzyklen	15000
Startzeit	1 s
Abstrahlwinkel	120 Grad
Anwendungsbereich	Garten, Balkon, Terrasse
Stil	Rustikal, Zeitlos
Form	rund



LeuchtenDirekt
E0001676 (997437)

A

B

C

D


E

F

G

← E

2
kWh/1000h



2019/2015

Netzstecker	Nein
Schalter	Ja
Touchfunktion	Ja
Leuchtmittel	Ja, fest verbaut
Touch	Ja
Produktmaße	(H) 270 mm (Ø) 400 mm
Produktgewicht	0.7 kg