

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources



Supplier's name or trade mark: Markslöjd
Supplier's address: Gränevägen 5, 511 62 Skene, SE

Model identifier:

Type of light source:

Lighting technology used:	Non-directional or directional:
Light source cap-type (or other electric interface)	
Mains or non-mains:	Connected light source (CLS):
Colour-tuneable light source:	Envelope:
High luminance light source:	

Product Parameters:

Parameter	Value	Parameter	Value
-----------	-------	-----------	-------

General Product Parameters:

Energy consumption in onmode (kWh/1000 h), rounded up to the nearest integer	Energy efficiency class
Useful luminous flux (Φ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set
On-mode power (P_{on}), expressed in W	Standby power (P_{st}), expressed in W and rounded to the second decimal
Network standby power P_{net} for CLS, expressed in W and rounded to the second decimal	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources



Supplier's name or trade mark: Markslöjd
Supplier's address: Grånevägen 5, 511 62 Skene, SE

Model identifier:

General Product Parameters:

Outer dimensions without separate control gear, lighting control parts and non-lighting control parts if any (millimetre)	Height	Spectral power distribution in the 250nm to 800 nm, at full-load	See image in last page
	Width		
	Depth		
Claim of equivalent power ^(a)		If yes, equivalent power (W)	
		Chromaticity coordinates (x and y)	

Parameters for LED and OLED light sources:

R9 colour rendering index value	Survival factor
The lumen maintenance factor	


Parameters for LED and OLED mains light sources:

Flicker metric (Pst LM)	Stroboscopic effect metric (SVM)
-------------------------	----------------------------------

(a)'-' : not applicable;
(b)'-' : not applicable;

Spectral power distribution in the range 250nm to 800nm, at full-load:

Spectrum





This product contains a lightsource of energy efficiency class F to regulation No 2019/2015

Denna produkt innehåller en ljuskälla med energieffektivitetsklass F enligt förordning No 2019/2015

Ten produkt zawiera źródło światła o klasie efektywności energetycznej F zgodnie z rozporządzeniem nr 2019/2015.

Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse F entsprechend der Verordnung Nr. 2019/2015



www.markslojd.com