





EN - PRODUCT INFORMATION SHEET

Supplier's name or trade mark:		Respekta			
Supplier's address:		-			
Model identifier:		131200841300-10			
Type of refrigerating appliance:					
Low-noise appliance:		No	Design type:		Freestanding
Wine storage appliance:		No	Other refrigerating appliance:		Yes
General product parameters:					
Parameter		Value	Parameter		Value
Overall dimensions (millimetre)	Height	838	Total volume (dm³ or l)		82
	Width	480			
	Depth	560			
EEL		100	Energy efficiency class		E
Airborne acoustical noise emissions (dB(A) re 1 pW)		41	Airborne acoustical noise emission class		C
Annual energy consumption (kWh/a)		106	Climate class:		temperate/tropical
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable		16	Maximum ambient temperature (°C), for which the refrigerating appliance is suitable		43
Winter setting		No			
Compartment Parameters:					
Compartment type		Compartment parameters and values			
		Compartment Volume (dm³ or l)	Recommended temperature setting for optimised food storage (°C) These settings shall not contradict the storage conditions set out in Annex IV, Table 3	Freezing capacity (kg/24 h)	Defrosting type (auto-defrost=A, manual defrost=M)
Pantry	No	0.0	17	-	M
Wine storage	No	0.0	12	-	M
Cellar	No	0.0	12	-	M
Fresh food	Yes	73.8	4	-	A
Chill	No	0.0	2	-	M
0-star or ice- making	No	0.0	0	-	M
1-star	No	0.0	-6	-	M
2-star	Yes	8.2	-12	-	M
3-star	No	0.0	-18	-	M
4-star	No	-	-18	-	M
2-star section	No	0.0	-12	-	M
Variable temperature compartment	No	0.0	-	-	M
FOR 4-STAR COMPARTMENTS					
Fast freeze facility				No	
For wine storage appliances					
Number of standard wine bottles				-	
Light source parameters(a,b):					
Type of light source				LED	
Energy efficiency class				F	
Minimum duration of the guarantee offered by the manufacturer:				24	
Additional information:				EN 60704-2-14/EN 60704-3	
Web link to the manufacturer's website, where the information in point 4(a) Annex of Regulation (EU) 2019/2019b is found: : WWW.RESPEKTA.INFO					
(a) as determined in accordance with Commission Delegated Regulation (EU) 2019/2015 (2).					




7,8mm x 35mm DB 10x	7mm x 50mm KN 8x	04 mm IBS 1x
Topfband TB 2x	3,5mm x 16mm S 16 8x	Abdeckkappe AK 8x
Gleiter + Nagel 4x	Griff 1x	3,9mm x 30mm (Passend zum Griff) S 25 2x


ACHTUNG!!!
Produkt-ID:
21Fr
Bei einer Reklamation von Mobilteilen bitten wir Sie auch diese Produkt ID Nr. Ihrem Händler mitzuteilen.




„Legen Sie bevor Sie bohren eine geeignete Holzunterlage auf die Vorderseite der Front. Dies verhindert eine Beschädigung der Front Vorderseite.“





Schritt 1




Schritt 2







45min

16*561*330
2x


KO 01 8*30 8x	KN 03 7*50 8x	PL 12 4x
PP 01 4x	PN 01 4x	PD 01 4x
AK 103 2x	DR 27 3,5*16 16x	DR 42 4*30 8x
KV 01 1,5*20 20x	PL 16 2x	HK 01 2x
SP 01 2x	UC 07 2x	KL 01 4mm 1x

16*559*497
2xbefindet sich
im FRONTENPAKET


2

3*559*979
1x

3

16*968*280
1x

4


16*968*310
2x




1

Der Inbusschlüssel befindet sich in dem Packstück,
das den Hinweis "INBUS" trägt.

Bei eventuellen Reklamationen bitten wir unsere Kunden immer die Nummer
auf der ersten Seite der Aufbauanleitung unten rechts anzugeben.

Die beigelegte Beschläge für die Wandbefestigung können
nur bei einer Befestigung zum Betonwand verwendet werden!







Levin Miniküche 100 cm

Korpus & Fronten Weiß

- + Maße gesamt (H x B x T) 200 x 100 x 60 cm
- + Spülenabdeckung mit Edelstahlkochmulde oder Glaskeramikkochfeld
- + Inkl. Unterbaukühlschrank
- + Wechselseitig aufbaubar



AUSSTATTUNG

1 Spülenunterschrank	50 cm
1 Nische für Unterbaukühlschrank	50 cm
1 Oberschrank	100 cm
1 Spülenabdeckung mit integriertem Edelstahlkochmulde oder Glaskeramikkochfeld	100 cm

Korpus

WEISS

Front

WEISS

BESONDERE MERKMALE

- + Arbeitshöhe 87 cm
- + Edelstahl Spülenabdeckung
- + Spülenabdeckung Ablauf mit 90 mm Siebkorb
- + Inkl. Ab- und Überlaufgarnitur

GUSTAV – UNTERBAUKÜHLSCHRANK KSU50-10 131200841300-10

Energieeffizienzklasse	E
Energieverbrauch / Jahr	106 kWh
Luftschallemission	41 dB (A)
Nutzzinhalt Kühlfach	74 l
Nutzzinhalt 2* Gefrierfach	8 l
Maße (H x B x T)	83,8 x 48 x 56 cm



BODO – PANTRYAUFLAGE MIT KOCHMULDE

2 Platten	
Leistungsstufen	6
Anschlusskabel mit Stecker	Ja



ERHÄLTlich IN FOLGENDER VARIATION



ARTIKELNUMMER	FARBE	EAN
MK100WOSSV	mit Edelstahlkochmulde	4260515339330
MK100WOSCSV	mit Glaskeramikkochfeld	4260515339323